SAFETY DATA SHEET

Issuing Date No data available

Revision Date 13-Dec-2018

Revision Number 1

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name RIDGID LITHIUM ION Battery Pack - MFG# AC840086 (Part # R840086)

Other means of identification

Product Code(s) 1349568

Recommended use of the chemical and restrictions on use

Recommended Use LITHIUM ION BATTERIES

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Identification Homelite Consumer Products

Address 1428 Pearman Dairy Rd

Anderson South Carolina

29625 US

Telephone Phone:864-634-5082

E-mail steve.holland@ttigroupna.com

Emergency telephone number

Company Emergency Phone

Number

864-634-5082

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Carcinogenicity	Category 1A



Specific target organ toxicity (repeated exposure)

Category 1

This is a battery. In case of rupture: the above hazards exist.

Appearance Gray Physical state Solid Odor Odorless

GHS Label elements, including precautionary statements

Danger

Hazard statements

Harmful if swallowed Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction May cause cancer

Causes damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Contaminated work clothing must not be allowed out of the workplace

Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Specific treatment (see supplemental first aid instructions on this label)

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Skin

IF ON SKIN: Wash with plenty of water and soap

Take off contaminated clothing and wash it before reuse

If skin irritation or rash occurs: Get medical advice/attention

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

Rinse mouth

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

May be harmful if swallowed. Very toxic to aquatic life with long lasting effects.



Unknown acute toxicity

96.1785 % of the mixture consists of ingredient(s) of unknown toxicity

56.94 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

94.1785 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

96.1785 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

96.1785 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

96.1785 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Third Party Formulation (TP # 1299154)	•	20 - 30%	-	-
Third Party Formulation (TP # 1299154)	-	10 - 20%	-	-
Third Party Formulation (TP # 1299154)	-	10 - 20%	-	-
Third Party Formulation (TP # 1299154)	-	10 - 20%	-	-
Third Party Formulation (TP # 1299154)	-	0 - 10%	-	-
Third Party Formulation (TP # 1299154)	-	0 - 10%	-	-
Third Party Formulation (TP # 1299154)	-	0 - 10%	-	-
Third Party Formulation (TP # 1299154)	-	0 - 10%	-	-
Third Party Formulation (TP # 1299154)	-	0 - 10%	-	-

4. FIRST AID MEASURES

First aid measures

General advice First aid is upon rupture of sealed battery. Show this safety data sheet to the doctor in

attendance. IF exposed or concerned: Get medical advice/attention.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area.

Skin contact May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a

physician. Wash off immediately with soap and plenty of water for at least 15 minutes.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.



Page 3/13

,

Never give anything by mouth to an unconscious person. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives. Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physiciansMay cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing mediaDo not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Hazardous Combustion Products Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling



Advice on safe handling

In case of rupture: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Store locked up.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Third Party Formulation (TP # 1299154)	TWA: 2 mg/m³ respirable particulate matter all forms except graphite fibers	TWA: 15 mg/m³ total dust synthetic TWA: 5 mg/m³ respirable	IDLH: 1250 mg/m ³ TWA: 2.5 mg/m ³ respirable dust
		fraction synthetic (vacated) TWA: 2.5 mg/m ³	
		respirable dust natural (vacated) TWA: 10 mg/m³ total	
		dust synthetic (vacated) TWA: 5 mg/m³	
		respirable fraction synthetic TWA: 15 mppcf natural	
Third Party Formulation (TP # 1299154)	TWA: 0.2 mg/m³ fume	TWA: 0.1 mg/m³ fume TWA: 1 mg/m³ dust and mist (vacated) TWA: 0.1 mg/m³ Cu dust, fume, mist	IDLH: 100 mg/m³ dust, fume and mist TWA: 1 mg/m³ dust and mist TWA: 0.1 mg/m³ fume
Third Party Formulation (TP # 1299154)	TWA: 0.2 mg/m³ Ni inhalable particulate matter	TWA: 1 mg/m³ Ni (vacated) TWA: 1 mg/m³ Ni	IDLH: 10 mg/m³ Ni TWA: 0.015 mg/m³ except Nickel carbonyl Ni
Third Party Formulation (TP # 1299154)	TWA: 1 mg/m³ respirable particulate matter	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction (vacated) TWA: 15 mg/m³ total dust (vacated) TWA: 5 mg/m³ respirable fraction	TWA: 10 mg/m³ total dust TWA: 5 mg/m³ respirable dust
Third Party Formulation (TP # 1299154)	TWA: 1.5 mg/m ³	TWA: 1 mg/m³ (vacated) TWA: 1 mg/m³	IDLH: 10 mg/m³ TWA: 0.015 mg/m³
Third Party Formulation (TP # 1299154)	TWA: 2.5 mg/m³ F	TWA: 2.5 mg/m³ F (vacated) TWA: 2.5 mg/m³	IDLH: 250 mg/m³ F
Third Party Formulation (TP # 1299154)	TWA: 3 mg/m³ inhalable particulate matter	TWA: 3.5 mg/m³ (vacated) TWA: 3.5 mg/m³	IDLH: 1750 mg/m³ TWA: 3.5 mg/m³ TWA: 0.1 mg/m³ Carbon black in presence of Polycyclic aromatic hydrocarbons PAH
Third Party Formulation (TP # 1299154)	TWA: 10 mg/m ³	TWA: 15 mg/m³ total dust (vacated) TWA: 10 mg/m³ total dust	IDLH: 5000 mg/m ³



Chemical name	Alberta	British Columbia	Ontario TWAEV	Quebec
Third Party Formulation (TP # 1299154)	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³
Third Party Formulation (TP # 1299154)	TWA: 0.2 mg/m ³ TWA: 1 mg/m ³	TWA: 1 mg/m³ TWA: 0.2 mg/m³	TWA: 0.2 mg/m ³ TWA: 1 mg/m ³	TWA: 0.2 mg/m ³ TWA: 1 mg/m ³
Third Party Formulation (TP # 1299154)	TWA: 0.2 mg/m ³	TWA: 0.05 mg/m ³	TWA: 0.2 mg/m ³	TWA: 1 mg/m ³
Third Party Formulation (TP # 1299154)	TWA: 10 mg/m³ TWA: 5 mg/m³	TWA: 1.0 mg/m ³	TWA: 1 mg/m ³	TWA: 10 mg/m³ TWA: 5 mg/m³
Third Party Formulation (TP # 1299154)	TWA: 1.5 mg/m ³	TWA: 0.05 mg/m ³	TWA: 1 mg/m ³	TWA: 1 mg/m ³
Third Party Formulation (TP # 1299154)	TWA: 2.5 mg/m ³	TWA: 2.5 mg/m ³	TWA: 2.5 mg/m ³	TWA: 2.5 mg/m ³
Third Party Formulation (TP # 1299154)	TWA: 3.5 mg/m ³	TWA: 3 mg/m ³	TWA: 3 mg/m ³	TWA: 3.5 mg/m ³
Third Party Formulation (TP # 1299154)	TWA: 10 mg/m ³	TWA: 10 mg/m ³ TWA: 3 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³

Other Exposure Guidelines Hexavalent Chrome may be formed during welding. Vacated limits revoked by the Court of

Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). See section 15 for

national exposure control parameters.

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

Respiratory protectionNo protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or

clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state Solid Appearance Gray



Odor Odorless

Color No information available

Odor Threshold Not applicable

<u>Property</u> <u>Values</u> <u>Remarks Method</u>

No data available pН None known None known Melting / freezing point No data available No data available None known Boiling point / boiling range No data available None known Flash Point **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability limit No data available

Lower flammability limitNo data availableVapor pressureNo data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone knownRelative densityNo data availableNone knownWater SolubilityInsoluble in water

Solubility(ies) No data available None known

Partition coefficient: n-octanol/water0

Autoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Other Information

Explosive properties No information available **Oxidizing properties** No information available No information available **Softening Point Molecular Weight** No information available **VOC Content (%)** No information available **Liquid Density** No information available **Bulk Density** No information available Particle Size No information available **Particle Size Distribution** No information available

10. STABILITY AND REACTIVITY

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to avoid None known based on information supplied.

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure



Product Information Product does not present an acute toxicity hazard based on known or supplied information

In case of rupture:

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). Irritating to eyes.

Skin contact Specific test data for the substance or mixture is not available. May cause sensitization by

skin contact. Causes skin irritation. (based on components). Repeated or prolonged skin

contact may cause allergic reactions with susceptible persons.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed. (based on

components).

Information on toxicological effects

Symptoms Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 739.57 mg/kg

Unknown acute toxicity 96.1785 % of the mixture consists of ingredient(s) of unknown toxicity

56.94 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

94.1785 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

96.1785 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

96.1785 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

96.1785 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Third Party Formulation (TP # 1299154)	= 30 g/kg (Rat)	-	-
Third Party Formulation (TP # 1299154)	> 9000 mg/kg (Rat)	-	> 10.2 mg/L (Rat)1 h
Third Party Formulation (TP # 1299154)	> 15400 mg/kg (Rat)	> 3 g/kg(Rabbit)	-
Third Party Formulation (TP # 1299154)	> 10000 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationClassification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity No information available.

Carcinogenicity Classification based on data available for ingredients. Contains a known or suspected

carcinogen. May cause cancer.



The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Third Party Formulation (TP # 1299154)	A1	Group 1	Known	Х
Third Party Formulation (TP # 1299154)	-	Group 2B	Reasonably Anticipated	Х
Third Party Formulation (TP # 1299154)	А3	Group 2B	-	X
Third Party Formulation (TP # 1299154)	-	Group 2B	-	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureCauses damage to organs through prolonged or repeated exposure.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Third Party Formulation	-	96h LC50: = 13.6 mg/L	-	-
(TP # 1299154)		(Morone saxatilis)		
Third Party Formulation	96h EC50: 0.031 - 0.054	96h LC50: = 0.052 mg/L	-	48h EC50: = 0.03 mg/L
(TP # 1299154)	mg/L	(Oncorhynchus mykiss)		
	(Pseudokirchneriella	96h LC50: < 0.3 mg/L		
	subcapitata) 72h EC50:	(Pimephales promelas)		
	0.0426 - 0.0535 mg/L	96h LC50: 0.0068 -		
	(Pseudokirchneriella	0.0156 mg/L (Pimephales		
	subcapitata)	promelas) 96h LC50: =		
		0.2 mg/L (Pimephales		
		promelas) 96h LC50: =		
		0.3 mg/L (Cyprinus		
		carpio) 96h LC50: =		
		0.112 mg/L (Poecilia		



		reticulata) 96h LC50: = 0.8 mg/L (Cyprinus carpio) 96h LC50: = 1.25 mg/L (Lepomis macrochirus)		
Third Party Formulation (TP # 1299154)	72h EC50: = 0.18 mg/L (Pseudokirchneriella subcapitata) 96h EC50: 0.174 - 0.311 mg/L (Pseudokirchneriella subcapitata)	96h LC50: = 1.3 mg/L (Cyprinus carpio) 96h LC50: > 100 mg/L (Brachydanio rerio) 96h LC50: = 10.4 mg/L (Cyprinus carpio)	-	48h EC50: = 1 mg/L 48h EC50: > 100 mg/L
Third Party Formulation (TP # 1299154)	-	-	-	24h EC50: > 5600 mg/L

Persistence and Degradability No information available.

Bioaccumulation There is no data for this product.

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

California Waste Codes 141

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Third Party Formulation (TP # 1299154)	Toxic
Third Party Formulation (TP # 1299154)	Ignitable powder
Third Party Formulation (TP # 1299154)	Toxic powder Ignitable powder

14. TRANSPORT INFORMATION

Note:

The transportation of primary lithium cells and batteries is regulated by the International Civil Aviation Organization, International Air Transport Association, International Maritime Dangerous Goods Code and the US Department of Transportation. The batteries must meet the following criteria for shipment: 1. Air shipments must meet the requirements listed in Special Provision A45 of the International Air Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transportation listed in 49 CFR 173.185. 3. The transport of primary lithium batteries is prohibited aboard passenger aircraft. Refer to the Federal Register December 15, 2004 (Hazardous Materials; Prohibited on the Transportation of Primary Lithium Batteries and Cells Aboard



Passenger Aircraft: Final Rule)

Lithium batteries shipped as "Lithium batteries", "Lithium batteries packed with equipment", or "Lithium batteries contained in equipment" may not be classified as "Dangerous Goods" when shipped in accordance with "special provision A45 of IATA-DGR" or "special provision

188 of IMO-IMDG Code"

DOTNOT REGULATEDProper Shipping NameNON-REGULATED

Hazard Class N/A Emergency Response Guide 147

Number

TDG Not regulated

MEX Not regulated

ICAO Not regulated

IATANot regulatedProper Shipping NameNON REGULATED

Hazard Class N/A

IMDG/IMO Not regulated

Hazard Class N/A EmS-No. F-A, S-I

RID Not regulated

ADR Not regulated

Tunnel restriction code (E)

ADN Not regulated

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories

TSCA Contact supplier for inventory compliance status.

DSL/NDSL Contact supplier for inventory compliance status.

EINECS/ELINCS Contact supplier for inventory compliance status.

ENCS Contact supplier for inventory compliance status.

KECL Contact supplier for inventory compliance status.

PICCS Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances



ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No.	Weight-%	SARA 313 - Threshold
			Values %
Third Party Formulation (TP # 1299154) -		10 - 20%	1.0
Third Party Formulation (TP # 1299154) -		10 - 20%	0.1
Third Party Formulation (TP # 1299154) -		0 - 10%	1.0
Third Party Formulation (TP # 1299154) -		0 - 10%	0.1

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Third Party Formulation (TP # 1299154)		X	X	
Third Party Formulation (TP # 1299154)		Х		
Third Party Formulation (TP # 1299154)		Х	Х	

CFRCI A

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Third Party Formulation (TP # 1299154)	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ
Third Party Formulation (TP # 1299154)	100 lb		RQ 100 lb final RQ RQ 45.4 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65			



Third Party Formulation (TP # 1299154) -	Developmental		
Third Party Formulation (TP # 1299154) -	carcinogen, 5/7/2004		
Third Party Formulation (TP # 1299154) -	carcinogen, 10/1/1989 (metallic)		
Third Party Formulation (TP # 1299154) -	Carcinogen		
Third Party Formulation (TP # 1299154) -	Carcinogen		

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusett	Pennsylvania	Rhode Island	Illinois
Third Party Formulation (TP # 1299154)	Х	X	Х		
Third Party Formulation (TP # 1299154)	Х	Х	Х	Х	Х
Third Party Formulation (TP # 1299154)	Х		Х	Х	Х
Third Party Formulation (TP # 1299154)	Х	Х	Х	Х	
Third Party Formulation (TP # 1299154)	Х	Х	Х	Х	Х
Third Party Formulation (TP # 1299154)	Х				
Third Party Formulation (TP # 1299154)	Х	Х	Х		Х
Third Party Formulation (TP # 1299154)	X	Х	Х		

16. OTHER INFORMATION

NFPA Health hazards 1 Flammability 0 Instability 0 Physical and Chemical

Properties -

HMIS Health hazards 0 Flammability 0 Physical hazards 0 Personal Protection X

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110

1-800-572-6501

Revision Date 13-Dec-2018

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

